



Bearing No.	Boundary dimensions				Basic load ratings(kN)		Limiting speeds		Mass
	mm				Dynamic	Static	rpm		Kg
	d	D	B	r <sub>min</sub>	Cr	Cor	Grease	Oil	
<b>22308</b>	40	90	33	1.5	121	128	3,800	5,900	0.974
<b>22308K</b>	40	90	33	1.5	121	128	3,800	5,900	0.951
<b>22308KW33C3</b>	40	90	33	1.5	121	128	3,800	5,900	0.951
<b>22308W33C3</b>	40	90	33	1.5	121	128	3,800	5,900	0.974
<b>22309</b>	45	100	36	1.5	148	167	3,400	5,300	1.33
<b>22309K</b>	45	100	36	1.5	148	167	3,400	5,300	1.3
<b>22309KW33C3</b>	45	100	36	1.5	148	167	3,400	5,300	1.3
<b>22309W33C3</b>	45	100	36	1.5	148	167	3,400	5,300	1.33
<b>22310</b>	50	110	40	2	186	212	3,100	4,800	1.79
<b>22310K</b>	50	110	40	2	186	212	3,100	4,800	1.75
<b>22310KW33C3</b>	50	110	40	2	186	212	3,100	4,800	1.75
<b>22310W33C3</b>	50	110	40	2	186	212	3,100	4,800	1.79

<b>22311</b>	55	120	43	2	204	234	2,800	4,400	2.3
<b>22311K</b>	55	120	43	2	204	234	2,800	4,400	2.25
<b>22311KW33C3</b>	55	120	43	2	204	234	2,800	4,400	2.25
<b>22311W33C3</b>	55	120	43	2	204	234	2,800	4,400	2.3
<b>22312</b>	60	130	46	2.1	238	273	2,600	4,000	2.9
<b>22312K</b>	60	130	46	2.1	238	273	2,600	4,000	2.83
<b>22312KW33C3</b>	60	130	46	2.1	238	273	2,600	4,000	2.83
<b>22312W33C3</b>	60	130	46	2.1	238	273	2,600	4,000	2.9
<b>22313</b>	65	140	48	2.1	265	320	2,400	3,700	3.45
<b>22313K</b>	65	140	48	2.1	265	320	2,400	3,700	3.37
<b>22313KW33C3</b>	65	140	48	2.1	265	320	2,400	3,700	3.37
<b>22313W33C3</b>	65	140	48	2.1	265	320	2,400	3,700	3.45
<b>22314</b>	70	150	51	2.1	325	380	2,300	3,500	4.22
<b>22314K</b>	70	150	51	2.1	325	380	2,300	3,500	4.12
<b>22314KW33C3</b>	70	150	51	2.1	325	380	2,300	3,500	4.12
<b>22314W33C3</b>	70	150	51	2.1	325	380	2,300	3,500	4.22
<b>22315</b>	75	160	55	2.1	330	410	2,100	3,200	5.25
<b>22315K</b>	75	160	55	2.1	330	410	2,100	3,200	5.13
<b>22315KW33C3</b>	75	160	55	2.1	330	410	2,100	3,200	5.13
<b>22315W33C3</b>	75	160	55	2.1	330	410	2,100	3,200	5.25
<b>22316</b>	80	170	58	2.1	385	470	2,000	3,000	6.05
<b>22316K</b>	80	170	58	2.1	385	470	2,000	3,000	5.91
<b>22316KW33C3</b>	80	170	58	2.1	385	470	2,000	3,000	5.91
<b>22316W33C3</b>	80	170	58	2.1	385	470	2,000	3,000	6.05
<b>22317</b>	85	180	60	3	415	510	1,900	2,900	7.1
<b>22317K</b>	85	180	60	3	415	510	1,900	2,900	6.94
<b>22317KW33C3</b>	85	180	60	3	415	510	1,900	2,900	6.94
<b>22317W33C3</b>	85	180	60	3	415	510	1,900	2,900	7.1
<b>22318</b>	90	190	64	3	480	590	1,800	2,700	8.35
<b>22318K</b>	90	190	64	3	480	590	1,800	2,700	8.16
<b>22318KW33C3</b>	90	190	64	3	480	590	1,800	2,700	8.16
<b>22318W33C3</b>	90	190	64	3	480	590	1,800	2,700	8.35
<b>22319</b>	95	200	67	3	500	615	1,600	2,500	9.76
<b>22319K</b>	95	200	67	3	500	615	1,600	2,500	9.54

<b>22319KW33C3</b>	95	200	67	3	500	615	1,600	2,500	9.54
<b>22319W33C3</b>	95	200	67	3	500	615	1,600	2,500	9.76
<b>22320</b>	100	215	73	3	605	755	1,600	2,400	12.4
<b>22320K</b>	100	215	73	3	605	755	1,600	2,400	12.1
<b>22320KW33C3</b>	100	215	73	3	605	755	1,600	2,400	12.1
<b>22320W33C3</b>	100	215	73	3	605	755	1,600	2,400	12.4
<b>22322</b>	110	240	80	3	745	930	1,400	2,200	17.1
<b>22322K</b>	110	240	80	3	745	930	1,400	2,200	16.7
<b>22322KW33C3</b>	110	240	80	3	745	930	1,400	2,200	16.7
<b>22322W33C3</b>	110	240	80	3	745	930	1,400	2,200	17.1
<b>22324</b>	120	260	86	3	880	1,120	1,300	2,000	21.5
<b>22324K</b>	120	260	86	3	880	1,120	1,300	2,000	21
<b>22324KW33C3</b>	120	260	86	3	880	1,120	1,300	2,000	21
<b>22324W33C3</b>	120	260	86	3	880	1,120	1,300	2,000	21.5
<b>22326</b>	130	280	93	4	1,000	1,290	1,200	1,800	26.8
<b>22326K</b>	130	280	93	4	1,000	1,290	1,200	1,800	26.2
<b>22326KW33C3</b>	130	280	93	4	1,000	1,290	1,200	1,800	26.2
<b>22326W33C3</b>	130	280	93	4	1,000	1,290	1,200	1,800	26.8
<b>22328</b>	140	300	102	4	1,130	1,460	1,100	1,700	33.8
<b>22328K</b>	140	300	102	4	1,130	1,460	1,100	1,700	33
<b>22328KW33C3</b>	140	300	102	4	1,130	1,460	1,100	1,700	33
<b>22328W33C3</b>	140	300	102	4	1,130	1,460	1,100	1,700	33.8
<b>22330</b>	150	320	108	4	1,270	1,750	1,000	1,600	42.7
<b>22330K</b>	150	320	108	4	1,270	1,750	1,000	1,600	41.8
<b>22330KW33C3</b>	150	320	108	4	1,270	1,750	1,000	1,600	41.8
<b>22330W33C3</b>	150	320	108	4	1,270	1,750	1,000	1,600	42.7
<b>22332</b>	160	340	114	4	1,410	1,990	940	1,500	50.8
<b>22332K</b>	160	340	114	4	1,410	1,990	940	1,500	49.7
<b>22332KW33C3</b>	160	340	114	4	1,410	1,990	940	1,500	49.7
<b>22332W33C3</b>	160	340	114	4	1,410	1,990	940	1,500	50.8
<b>22334</b>	170	360	120	4	1,540	2,180	880	1,400	59.8
<b>22334K</b>	170	360	120	4	1,540	2,180	880	1,400	58.5
<b>22334KW33C3</b>	170	360	120	4	1,540	2,180	880	1,400	58.5
<b>22334W33C3</b>	170	360	120	4	1,540	2,180	880	1,400	59.8

<b>22336</b>	180	380	126	4	1,740	2,560	830	1,300	70
<b>22336K</b>	180	380	126	4	1,740	2,560	830	1,300	68.5
<b>22336KW33C3</b>	180	380	126	4	1,740	2,560	830	1,300	68.5
<b>22336W33C3</b>	180	380	126	4	1,740	2,560	830	1,300	70
<b>22338</b>	190	400	132	5	1,870	2,790	780	1,200	81
<b>22338K</b>	190	400	132	5	1,870	2,790	780	1,200	79.3
<b>22338KW33C3</b>	190	400	132	5	1,870	2,790	780	1,200	79.3
<b>22338W33C3</b>	190	400	132	5	1,870	2,790	780	1,200	81
<b>22340</b>	200	420	138	5	2,040	3,050	740	1,100	93.2
<b>22340K</b>	200	420	138	5	2,040	3,050	740	1,100	91.2
<b>22340KW33C3</b>	200	420	138	5	2,040	3,050	740	1,100	91.2
<b>22340W33C3</b>	200	420	138	5	2,040	3,050	740	1,100	93.2
<b>22344</b>	220	460	145	5	2,350	3,500	660	1,000	117
<b>22344K</b>	220	460	145	5	2,350	3,500	660	1,000	115
<b>22344KW33C3</b>	220	460	145	5	2,350	3,500	660	1,000	115
<b>22344W33C3</b>	220	460	145	5	2,350	3,500	660	1,000	117
<b>22348</b>	240	500	155	5	2,720	4,100	600	930	148
<b>22348K</b>	240	500	155	5	2,720	4,100	600	930	145
<b>22348KW33C3</b>	240	500	155	5	2,720	4,100	600	930	145
<b>22348W33C3</b>	240	500	155	5	2,720	4,100	600	930	148
<b>22352</b>	260	540	165	6	3,100	4,750	550	850	183
<b>22352K</b>	260	540	165	6	3,100	4,750	550	850	179
<b>22352KW33C3</b>	260	540	165	6	3,100	4,750	550	850	179
<b>22352W33C3</b>	260	540	165	6	3,100	4,750	550	850	183
<b>22356</b>	280	580	175	6	3,500	5,350	500	780	224
<b>22356K</b>	280	580	175	6	3,500	5,350	500	780	220
<b>22356KW33C3</b>	280	580	175	6	3,500	5,350	500	780	220
<b>22356W33C3</b>	280	580	175	6	3,500	5,350	500	780	224
<b>22360</b>	300	620	185	7.5	3,600	5,400	470	720	270
<b>22360K</b>	300	620	185	7.5	3,600	5,400	470	720	265
<b>22360KW33C3</b>	300	620	185	7.5	3,600	5,400	470	720	265
<b>22360W33C3</b>	300	620	185	7.5	3,600	5,400	470	720	270