



Bearing No.	Boundary dimensions				Basic load ratings(kN)		Limiting speeds		Mass
	mm				Dynamic	Static	rpm		Kg
	d	D	B	r <sub>smin</sub>	Cr	Cor	Grease	Oil	
<b>23022</b>	110	170	45	2	282	455	1,800	2,800	3.71
<b>23022K</b>	110	170	45	2	282	455	1,800	2,800	3.58
<b>23022KW33C3</b>	110	170	45	2	282	455	1,800	2,800	3.58
<b>23022W33C3</b>	110	170	45	2	282	455	1,800	2,800	3.71
<b>23024</b>	120	180	46	2	296	495	1,700	2,600	4.05
<b>23024K</b>	120	180	46	2	296	495	1,700	2,600	3.9
<b>23024KW33C3</b>	120	180	46	2	296	495	1,700	2,600	3.9
<b>23024W33C3</b>	120	180	46	2	296	495	1,700	2,600	4.05
<b>23026</b>	130	200	52	2	375	620	1,500	2,300	5.9
<b>23026K</b>	130	200	52	2	375	620	1,500	2,300	5.69
<b>23026KW33C3</b>	130	200	52	2	375	620	1,500	2,300	5.69
<b>23026W33C3</b>	130	200	52	2	375	620	1,500	2,300	5.9

<b>23028</b>	140	210	53	2	405	690	1,400	2,200	6.35
<b>23028K</b>	140	210	53	2	405	690	1,400	2,200	6.12
<b>23028KW33C3</b>	140	210	53	2	405	690	1,400	2,200	6.12
<b>23028W33C3</b>	140	210	53	2	405	690	1,400	2,200	6.35
<b>23030</b>	150	225	56	2.1	445	775	1,300	2,000	7.73
<b>23030K</b>	150	225	56	2.1	445	775	1,300	2,000	7.45
<b>23030KW33C3</b>	150	225	56	2.1	445	775	1,300	2,000	7.45
<b>23030W33C3</b>	150	225	56	2.1	445	775	1,300	2,000	7.73
<b>23032</b>	160	240	60	2.1	505	885	1,200	1,900	9.42
<b>23032K</b>	160	240	60	2.1	505	885	1,200	1,900	9.09
<b>23032KW33C3</b>	160	240	60	2.1	505	885	1,200	1,900	9.09
<b>23032W33C3</b>	160	240	60	2.1	505	885	1,200	1,900	9.42
<b>23034</b>	170	260	67	2.1	630	1,080	1,100	1,800	12.7
<b>23034K</b>	170	260	67	2.1	630	1,080	1,100	1,800	12.3
<b>23034KW33C3</b>	170	260	67	2.1	630	1,080	1,100	1,800	12.3
<b>23034W33C3</b>	170	260	67	2.1	630	1,080	1,100	1,800	12.7
<b>23036</b>	180	280	74	2.1	740	1,290	1,100	1,700	16.7
<b>23036K</b>	180	280	74	2.1	740	1,290	1,100	1,700	16.1
<b>23036KW33C3</b>	180	280	74	2.1	740	1,290	1,100	1,700	16.1
<b>23036W33C3</b>	180	280	74	2.1	740	1,290	1,100	1,700	16.7
<b>23038</b>	190	290	75	2.1	755	1,350	1,000	1,600	17.7
<b>23038K</b>	190	290	75	2.1	755	1,350	1,000	1,600	17.1
<b>23038KW33C3</b>	190	290	75	2.1	755	1,350	1,000	1,600	17.1
<b>23038W33C3</b>	190	290	75	2.1	755	1,350	1,000	1,600	17.7
<b>23040</b>	200	310	82	2.1	915	1,620	960	1,500	22.7
<b>23040K</b>	200	310	82	2.1	915	1,620	960	1,500	21.9
<b>23040KW33C3</b>	200	310	82	2.1	915	1,620	960	1,500	21.9
<b>23040W33C3</b>	200	310	82	2.1	915	1,620	960	1,500	22.7
<b>23044</b>	220	340	90	3	1,060	1,920	870	1,300	29.9
<b>23044K</b>	220	340	90	3	1,060	1,920	870	1,300	28.8
<b>23044KW33C3</b>	220	340	90	3	1,060	1,920	870	1,300	28.8
<b>23044W33C3</b>	220	340	90	3	1,060	1,920	870	1,300	29.9
<b>23048</b>	240	360	92	3	1,130	2,140	790	1,200	33.4
<b>23048K</b>	240	360	92	3	1,130	2,140	790	1,200	32.2

<b>23048KW33C3</b>	240	360	92	3	1,130	2,140	790	1,200	32.2
<b>23048W33C3</b>	240	360	92	3	1,130	2,140	790	1,200	33.4
<b>23052</b>	260	400	104	4	1,420	2,620	720	1,100	48.5
<b>23052K</b>	260	400	104	4	1,420	2,620	720	1,100	46.8
<b>23052KW33C3</b>	260	400	104	4	1,420	2,620	720	1,100	46.8
<b>23052W33C3</b>	260	400	104	4	1,420	2,620	720	1,100	48.5
<b>23056</b>	280	420	106	4	1,510	2,920	660	1,000	52.4
<b>23056K</b>	280	420	106	4	1,510	2,920	660	1,000	50.6
<b>23056KW33C3</b>	280	420	106	4	1,510	2,920	660	1,000	50.6
<b>23056W33C3</b>	280	420	106	4	1,510	2,920	660	1,000	52.4
<b>23060</b>	300	460	118	4	1,890	3,550	610	940	72.4
<b>23060K</b>	300	460	118	4	1,890	3,550	610	940	70.2
<b>23060KW33C3</b>	300	460	118	4	1,890	3,550	610	940	70.2
<b>23060W33C3</b>	300	460	118	4	1,890	3,550	610	940	72.4